

Infosafe No™ VARD2      Issue Date : November 2015      ISSUED by HUNTER

 Product Name **DE-RUST & SCALE ACID**

Classified as hazardous

## ADDENDUMS

### 1. Identification

**GHS Product Identifier** DE-RUST & SCALE ACID  
**Company Name** Hunter Industrials Pty Ltd (ABN 083 330 974)  
**Address** 51-53 Lakewood Blvd  
 Braeside  
 Vic 3195 Australia  
**Telephone/Fax Number** Tel: (03) 9586 2888  
 Fax: (03) 9587 9851  
**Emergency phone number** 0409 949 298  
**E-mail Address** sales@huntind.com.au  
**Recommended use of the chemical and restrictions on use** Phosphoric acid based cleaner for the removal of scale deposits. May also be used to remove rust and fats from meat hooks, slides, gambrels etc.

### 2. Hazard Identification

**GHS classification of the substance/mixture** Eye Damage/Irritation: Category 1  
 Skin Corrosion/Irritation: Category 1B  
**Signal Word (s)** Danger  
**Hazard Statement (s)** Causes severe skin burns and eye damage.  
**Pictogram (s)** Corrosion



**Precautionary statement – Prevention** Wash skin thoroughly after handling.  
 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Precautionary statement – Response** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER (Ph 13 11 26) or doctor/ physician.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER (Ph 13 11 26) or doctor/ physician. Wash contaminated clothing before reuse.  
**Precautionary statement – Storage** Store locked up.  
**Precautionary statement – Disposal** Dispose of contents/container: Recycle packaging by replacing cap and returning clean containers to recycler or designated collection point.  
**Other Information** Do not mix with bleach or other chlorinated products - will cause chlorine gas.

### 3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Phosphoric acid	7664-38-2	30-60 %
	Other ingredients determined not to be hazardous, including water	N/A	to 100%

Infosafe No™ VARD2	Issue Date : November 2015	ISSUED by HUNTER
--------------------	----------------------------	------------------

Product Name **DE-RUST & SCALE ACID**

Classified as hazardous

#### 4. First-aid measures

<b>Inhalation</b>	Remove victim from exposure. Allow patient to assume most comfortable position, keep warm and at rest until fully recovered.
<b>Ingestion</b>	Rinse mouth with water. Do NOT induce vomiting. Give water to drink to be taken slowly. Seek immediate medical advice.
<b>Skin</b>	Remove heavily contaminated clothing. Wash affected area with copious quantities of water for at least 15 minutes. If irritation develops or persists seek medical advice.
<b>Eye contact</b>	Immediately irrigate with copious quantities of water for at least 15 minutes. Hold eyelids open. Seek medical attention.
<b>First Aid Facilities</b>	Eye wash fountain, safety shower and normal wash room facilities.
<b>Advice to Doctor</b>	Treat symptomatically for acids.

#### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Use extinguishing media appropriate to surrounding fire. Use water spray to cool containers and surrounds.
<b>Hazards from Combustion Products</b>	If involved in a fire may generate noxious and corrosive fumes.
<b>Specific Methods</b>	Fire-fighters to wear self contained breathing apparatus and protective equipment. If safe to do so remove containers from path of fire.
<b>Specific hazards arising from the chemical</b>	Not flammable or combustible. However, flammable and explosive hydrogen gas may be formed on contact with metals.
<b>Hazchem Code</b>	2R

#### 6. Accidental release measures

<b>Emergency Procedures</b>	Keep unnecessary people away; Isolate hazard area and deny entry. Stay upwind; Keep out of low areas. Wear appropriate eye, skin and respiratory protection as outlined in this MSDS.
<b>Spills &amp; Disposal</b>	<p><b>SMALL SPILLS:</b> Take up with sand, dirt or vermiculite. DO NOT use sawdust. Use non-sparking tools. Place into labelled drum(s) for later disposal.</p> <p><b>LARGE SPILLS:</b> Notify Emergency Services (Police or Fire Brigade). Tell them exact location, nature, hazards, quantities, type of vehicle and any other information that would be helpful. Contain spill. Remove all ignition sources and safely stop flow of spill. Bund area. Trained personnel should wear Personal Protective equipment as highlighted in this MSDS. Blanket the spill with foam or use water fog to disperse vapour clouds. Consult an expert regarding disposal of this product.</p>

#### 7. Handling and storage

<b>Conditions for safe storage, including any incompatibilities</b>	Store in a cool place and out of direct sunlight. Store away from sources of heat or ignition, alkalis, combustibles and oxidizing agents. All equipment must be earthed. Store in original packages as approved by manufacturer. Check all fittings, valves, reticulation (piping) and any ancillary equipment for leaks. A supplied air respirator or a Self-Contained Breathing Apparatus (SCBA) for emergencies should be available and checked regularly. For further information please refer to the Engineering Controls of this MSDS.
---	---

#### 8. Exposure controls/personal protection

Occupational exposure limit values	<u>Name</u>	<u>STEL</u>		<u>TWA</u>		<u>Footnote</u>
		<u>mg/m3</u>	<u>ppm</u>	<u>mg/m3</u>	<u>ppm</u>	
	Phosphoric acid	3		1		
<b>Other Exposure Information</b>	No value assigned by the National Occupational Health and Safety Commission (Worksafe Australia). However, exposure standards for constituents: Phosphoric acid: TWA: 1 ppm ( 3 mg/m3): STEL: No value.					

Infosafe No™ VARD2	Issue Date : November 2015	ISSUED by HUNTER
--------------------	----------------------------	------------------

Product Name **DE-RUST & SCALE ACID**

Classified as hazardous

<b>Appropriate engineering controls</b>	Corrosive liquid. Single significant exposure may cause severe injury or even death. Maintain adequate ventilation at all times. Prevent accumulation of vapours in hollows or sumps. Eliminate any sources of ignition. Exposure to this material may be controlled in a number of ways. The measures appropriate for a particular worksite depend on how the material is used and on the potential for exposure. Engineering methods to prevent or control exposure are preferred. Methods include process or personnel enclosure, mechanical ventilation (dilution and local exhaust), and control of process conditions. If engineering controls and work practices are not effective in preventing or controlling exposure, then suitable personal protective equipment, which is known to perform satisfactorily, should be used.
<b>Personal Protective Equipment</b>	Avoid contact with the skin and eyes. Personal protection to be selected from those recommended below, as appropriate to mode of use, quantity handled and degree of hazard:- Safety glasses Gloves, rubber or plastic Respirators in accordance with AS/NZS 1715/1716. The use of a P1 dust mask (disposable) or with replaceable filters is recommended. Filter capacity and respirator type depends on exposure levels and type of contaminant. If entering spaces where the airborne concentration of a contaminant is unknown then the use of a Self-contained breathing apparatus (SCBA) with positive pressure air supply complying with AS/NZS 1715 / 1716, or any other acceptable International Standard is recommended. Always maintain a high level of personal hygiene when using this product. That is wash hands before eating, drinking, smoking or using the toilet.

## 9. Physical and chemical properties

<b>Form</b>	Liquid
<b>Appearance</b>	Dark blue thin liquid.
<b>Odour</b>	Mild acidic
<b>Boiling Point</b>	>100C
<b>Solubility in Water</b>	Soluble at all dilutions.
<b>Specific Gravity</b>	1.32
<b>pH</b>	1.6-2.2
<b>Flash Point</b>	None
<b>Flammability</b>	Non flammable.

## 10. Stability and reactivity

<b>Chemical Stability</b>	Stable under normal use conditons.
<b>Conditions to Avoid</b>	Heat and incompatibles.
<b>Incompatible Materials</b>	Strong bases, aluminium, zinc, magnesium and oxidizing agents.
<b>Hazardous Decomposition Products</b>	Emits choking and corrosive fumes when heated to decomposition.
<b>Possibility of hazardous reactions</b>	Contact with metals may produce hydrogen gas which is flammable. If splashing occurs rinse with water and wipe clean. Do not mix with bleaches, acids, or other cleaning solutions.

## 11. Toxicological Information

<b>Toxicology Information</b>	No adverse health effects are expected, if the product is handled in accordance with this Material Safety Data Sheet and the product label. Symptoms and effects that may arise if the product is mishandled and overexposure occurs are:
<b>Acute Toxicity - Oral</b>	LD50 Phosphoric acid: 1530 mg/kg oral, rat
<b>Acute Toxicity - Inhalation</b>	Human TCLo: 100 mg/m3

Infosafe No™ VARD2	Issue Date : November 2015	ISSUED by HUNTER
--------------------	----------------------------	------------------

Product Name **DE-RUST & SCALE ACID**

Classified as hazardous

<b>Ingestion</b>	Will cause burns to the mouth, mucous membranes, throat, oesophagus and stomach. If sufficient quantities are ingested (swallowed) death may occur.
<b>Inhalation</b>	Will cause severe irritation to the nose, throat and respiratory system with effects including: Dizziness, headache, coughing, loss of co-ordination, chest pains, respiratory paralysis and or failure.
<b>Skin</b>	Will cause burns to the skin, with effects including; Redness, blistering, localised pain and dermatitis.
<b>Eye</b>	Will cause burns to the eyes with effects including: Pain, tearing, conjunctivitis and if duration of exposure is long enough, blindness will occur.
<b>Chronic Effects</b>	Prolonged or repeated skin contact will lead to necrosis (death) of the skin.

## 12. Ecological information

<b>Ecotoxicity</b>	Will consume organic matter and is poisonous in aquatic environments in large concentrations.
<b>Persistence and degradability</b>	Readily biodegradable.
<b>Mobility</b>	Readily dilutes with water.
<b>Information on Ecological Effects</b>	This substance may cause long term adverse effects in the aquatic environment.
<b>Environmental Protection</b>	Avoid contaminating waterways, drains, sewers, or ground.

## 13. Disposal considerations

<b>Waste Disposal</b>	Refer to appropriate authority in your State. Dispose of material through a licensed waste contractor. Normally suitable for disposal by approved waste disposal agent.
-----------------------	---

## 14. Transport information

<b>Transport Information</b>	Classified as a Class 8 Dangerous Good. Dangerous Goods of Class 8 Corrosives are incompatible in a placard load with any of the following: - Class 1, Class 4.3, Class 5, Class 6, if the Class 6 dangerous goods are cyanides and the Class 8 dangerous goods are acids and Class 7.
<b>U.N. Number</b>	1805
<b>UN proper shipping name</b>	PHOSPHORIC ACID
<b>Transport hazard class(es)</b>	8
<b>Hazchem Code</b>	2R
<b>Packaging Method</b>	3.8.8RT8
<b>Packing Group</b>	III
<b>EPG Number</b>	8A1
<b>IERG Number</b>	37

## 15. Regulatory information

<b>Poisons Schedule</b>	S6
<b>Hazard Category</b>	Corrosive
<b>AICS (Australia)</b>	All components listed.

## 16. Other Information

<b>Signature of Preparer/Data Service</b>	Technical Manager 03 9580 2499
<b>Technical Contact Numbers</b>	Emergency Advice All Hours: Tel: 0409 949 298 Mon-Fri 8am - 6pm Poisons Information Centre: 13 11 26 - 24hrs

Infosafe No™ VARD2	Issue Date : November 2015	ISSUED by HUNTER
--------------------	----------------------------	------------------

Product Name **DE-RUST & SCALE ACID**

Classified as hazardous

**Other Information** This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the Workplace. Please refer to the technical datasheet (Instructions for use), and the label on the drum. The company cannot anticipate or control the individual working conditions encountered and so each user should read this MSDS carefully, and if in doubt ring the Contact Point Number given below.  
...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.