

1 of 7 Page:

Infosafe No™ 6AC8G Issue Date : January 2014 ISSUED by SCAHYGIE

PURE AIR - MOROCCAN SUNSET Product Name

Classified as hazardous

#### 1. Identification

PURE AIR - MOROCCAN SUNSET **GHS Product** 

Identifier

Product Code 2170113

Company Name SCA AUSTRALASIA - PROFESSIONAL HYGIENE

Address 30-32 Westall Road Springvale Victoria 3171 Australia

Tel: +61 3 9550 2999 Telephone/Fax Fax: +61 3 9547 8165 Number +61 3 9550 2999 (BH) **Emergency phone** 

number

General

Prevention

Ingredients

Recommended use of the chemical and restrictions on use

Fragranced metered aerosol space sprays designed for use in proprietary

automated dispensers.

#### 2. Hazard Identification

Classification of the Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and substance or mixture

Safety regulations, Australia.

Classified as Dangerous Goods according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail. (7th edition)

Flammable Aerosol: Category 1 Eye Damage/Irritation: Category 2A

Signal Word (s) Danger

Hazard Statement (s) H222 Extremely flammable aerosol.

H319 Causes serious eye irritation. P102 Keep out of reach of children.

P103 Read label before use. Precautionary

P104 Read Safety Data Sheet before use. Statement (s)

Exclamation mark, Flame Pictogram (s)





P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Precautionary

P211 Do not spray on an open flame or other ignition source. statement -

P251 Pressurized container: Do not pierce or burn, even after use.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

EYE Precautionary

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. statement - Response

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P410+P412 Protect from sunlight. Do no expose to temperatures exceeding

Precautionary 50°C/122°F.

statement - Storage

#### 3. Composition/information on ingredients

Mixture of organic solvents, perfume and propane/iso-butane (propellant). Information on Composition

Name	CAS	Proportion
Propellant - Propane	74-98-6	10-<30 %
Propellant - Butane	106-97-8	10-<30 %
Propan-2-ol	67-63-0	5-15 %
Ethanol	64-17-5	5-15 %
Dipropylene glycol	25265-71-8	5-15 %



Page: 2 of 7

Infosafe  $No^{TM}$  6AC8G Issue Date : January 2014 ISSUED by SCAHYGIE

Product Name PURE AIR - MOROCCAN SUNSET

Classified as hazardous

Ingredients	Name	CAS	Proportion
	Hexylene glycol Diethylene glycol monomethyl ether	107-41-5 111-90-0	1-<10 % 1-<5 %
	Ingredients determined not to be hazardous		Balance.

#### 4. First-aid measures

Inhalation If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention. Ingestion Unlikely due to form of product. If ingestion occurs, do not induce vomiting. Wash out mouth and lips with water. Where vomiting occurs naturally have affected person place head below hip level in order to reduce risk of aspiration. Seek immediate medical attention. Skin Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention. Eye contact If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention. First Aid Facilities Eye wash station and normal washroom facilities. Advice to Doctor Treat symptomatically. Other Information For advice in an emergency, contact a Poisons Information Centre (Phone

#### 5. Fire-fighting measures

Suitable Use carbon dioxide, dry chemical, foam, water fog or water mist.

Australia 13 1126) or a doctor at once.

extinguishing media

Unsuitable Do not use water jet.

**Extinguishing Media** 

Hazards from Under fire conditions this product may emit toxic and/or irritating fumes and Combustion gases including carbon monoxide and carbon dioxide.

Products Specific hazards arising from the chemical

Contents under pressure - cans can explode in a fire. This product is extremely flammable. Keep containers and fire-exposed surfaces cool with water spray. Shut off any leak if safe to do so and remove sources of re-ignition. Vapour/air mixtures may ignite explosively. Flashback along the vapour trail may occur. Runoff to sewer may create fire or explosion hazard.

Hazchem Code 2YE

Decomposition Temp. Not available

Precautions in connection with Fire

Fire fighters to wear Self-Contained Breathing Apparatus (S.C.B.A) and full protective clothing if risk of exposure to vapour or products of combustion to minimise skin and eye exposure.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Extinguish or remove all sources of ignition and stop leak if safe to do so. Wear appropriate personal protective equipment and clothing to prevent exposure. Evacuate all unprotected personnel. Water spray or fog may be used to disperse/absorb vapour if any. Place inert, Non combustible absorbent material onto spillage. If safe, damaged cans should be placed in a container outdoors, away from ignition sources, until pressure has dissipated. Undamaged cans should be gathered and stowed safely. Collect residues and seal in labelled drums for disposal. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations. Dispose of waste according to applicable local and national regulations.

#### 7. Handling and storage

Precautions for Safe Handling Wear appropriate personal protective equipment and clothing to prevent exposure. Handle and use the material in a well-ventilated area, away from sparks, flames and other ignition sources. DO NOT store or use in confined spaces. Have emergency equipment (for fires, spills, leaks, etc.) readily



3 of 7 Page:

Infosafe No™ 6AC8G Issue Date : January 2014 ISSUED by SCAHYGIE

PURE AIR - MOROCCAN SUNSET Product Name

#### Classified as hazardous

available. Build up of mists or vapours in the atmosphere must be prevented. Do not spray on a naked flame or any incandescent material. Do NOT puncture, burn, cut or heat containers as they may contain hazardous residues. Do not smoke. Flameproof equipment is necessary in areas where the product is being used. Take precautionary measures against static discharges. Earth or bond all equipment. Do not empty into drains. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands before eating, drinking, smoking or using the toilet facilities.

#### Conditions for safe storage, including any incompatabilities

Store in a cool, dry, well ventilated area away from sources of ignition, oxidising agents, foodstuffs, clothing and out of direct sunlight. Do not expose can to temperatures exceeding 50°C. Protect containers against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Do NOT pressurise, cut or heat aerosol containers. Content is under pressure and can explode violently. Ensure that storage conditions comply with applicable local and national regulations.

#### 8. Exposure controls/personal protection

#### Occupational exposure limit values

No exposure value assigned for this material by Safe Work, Australia. However, the available exposure limits for ingredients are listed below:

Safe Work, Australia Exposure Standards:

Substance	T	TWA		'EL	NOTES
	ppm	mg/m³	ppm	mg/m³	
Ethanol	1000	1880	_	_	_
Propan-2-ol	400	983	500	1230	_
Butane	800	1900	_	-	-
Hexylene glycol	25	121	_	_	Peak Limitation

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

Peak Limitation: A ceiling concentration which should not be exceeded over a measurement period which should be as short as possible but not exceeding 15 minutes.

(BEI)

40 mg/L

#### **Biological Limit** Values

Biological Exposure Indice (BEI) from American Conference of Industrial

End of shift

Hygienists (ACGIH) for ingredients are as follows:

Determinant.

Acetone in urine

Sampling Time 2-PROPANOL [67-63-0]

at end of workweek

#### **Appropriate** engineering controls

Provide sufficient ventilation to keep airborne levels below the exposure limits. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required. Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 60079.10.1:2009 Explosive atmospheres Classification of areas - Explosive gas atmospheres, for further information concerning ventilation requirements.

#### Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist/organic vapour filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any

#### **Eye Protection**

necessary changes for individual circumstances. Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications. Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS

### **Hand Protection**

Print Date: 14/01/2014 CS: 1.8.4

2161.1: Occupational protective gloves - Selection, use and maintenance.



4 of 7 Page:

Infosafe No™ 6AC8G Issue Date : January 2014 ISSUED by SCAHYGIE

Product Name PURE AIR - MOROCCAN SUNSET

Classified as hazardous

**Body Protection** Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist

is recommended. Chemical resistant apron is recommended where large quantities

are handled

9. Physical and chemical properties

**Appearance** Clear aerosol (liquid).

Colour Colourless Odour Fragrant odour Not available Decomposition

**Temperature** 

**Melting Point** Not available

**Boiling Point** 59°C (liquid concentrate)

Solubility in Water Partly miscible. Not available Solubility in Organic

Solvents

Specific Gravity 0.924 (liquid concentrate)

pН Not available Not available Vapour Pressure

Vapour Density

(Air=1)

**Evaporation Rate** >1 (n-Butyl acetate=1)

**Odour Threshold** Not available Viscosity Not available Not available **Partition Coefficient:** 

n-octanol/water

Flash Point -104.4°C (closed cup) (propellant - propane)

-60°C (close cup) (propellant - butane)

21°C (liquid concentrate)

Flammability Extremely flammable aerosol.

Not available **Auto-Ignition** 

**Temperature** 

Flammable Limits -1.9% (liquid concentrate)

Lower

9.5% (liquid concentrate) Flammable Limits -

Upper

10. Stability and reactivity

Reactivity Reacts with incompatible materials.

Stable under normal conditions of storage and handling. **Chemical Stability** 

**Conditions to Avoid** Keep away from heat, sparks, open flames and other ignition sources.

Aerosol cans may rupture when heated. Aerosol containers are unstable at

temperatures above 50°C.

Incompatible Materials

Oxidising agents and strong acids.

Thermal decomposition may result in the release of toxic and/or irritating Hazardous

fumes including carbon monoxide and carbon dioxide. Decomposition

**Products** 

Hazardous

May react with strong oxidising agents and acids. Possibility of

hazardous reactions

Will not occur.

**Polymerization** 

11. Toxicological Information



5 of 7 Page:

Infosafe No™ 6AC8G Issue Date : January 2014 ISSUED by SCAHYGIE

PURE AIR - MOROCCAN SUNSET Product Name

Classified as hazardous

Toxicology Information No toxicity data available for this material.

Ingestion Ingestion unlikely due to form of product. Ingestion of this product may

irritate the gastric tract causing nausea and vomiting.

Inhalation Inhalation of product vapours may cause irritation of the nose, throat and respiratory system. Propane and Butane are asphyxiant gases which when

present in an atmosphere in high concentration, leads to reduction of oxygen concentration by displacement or dilution. Symptoms include decreased visual acuity, decreased coordination and judgment, headache, dizziness, confusion, drowsiness, fatigue, shortness of breath, muscular weakness, convulsions,

unconsciousness, coma and eventually death.

May be irritating to skin. The symptoms may include redness and itching. Skir

Eye Irritating to eyes. On eye contact this product will cause tearing, stinging,

blurred vision, and redness.

Respiratory

Not expected to be a respiratory sensitiser.

sensitisation **Skin Sensitisation** 

Not expected to be a skin sensitiser.

Not considered to be a mutagenic hazard. Germ cell

mutagenicity

Carcinogenicity Not considered to be a carcinogenic hazard. Not considered to be toxic to reproduction.

Reproductive **Toxicity** 

Not expected to cause toxicity to a specific target organ.

STOT-single exposure

STOT-repeated Not expected to cause toxicity to a specific target organ through repeated

exposure. exposure

**Aspiration Hazard** Not expected to be an aspiration hazard.

Other Information Prolonged or repeated skin contact may cause defatting leading to dermatitis.

Prolonged inhalation may cause central nervous system depression with symptoms

including dizziness, drowsiness, nausea and headaches.

12. Ecological information

No ecological data available for this material. **Ecotoxicity** 

Persistence and degradability

Not available

Mobility

Not available Not available Bioaccumulative

Potential

**Environmental** Prevent this material entering waterways, drains and sewers.

**Protection** 

13. Disposal considerations

14. Transport information

Disposal Considerations

Dispose of waste according to applicable local and national regulations. Do not pierce, burn, cut, puncture or weld on or near containers. Empty containers may contain hazardous residues. Empty the container completely before disposal. Contaminated containers must not be treated as household

waste. Advise flammable nature

**Transport** Information Road and Rail Transport (ADG Code):

This material is classified as a Division 2.1 (Flammable Gases) Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road or Rail. (7th edition)

Division 2.1 Dangerous Goods are incompatible in a placard load with any of

the following:

- Class 1, Explosives

- Division  $2.\overline{2}$  Non-flammable, Non toxic gas that have a subsidiary risk 5.1except when all are packed in cylinders or pressure drums not exceeding 500L capacity.



6 of 7 Page:

Infosafe No™ 6AC8G Issue Date : January 2014 ISSUED by SCAHYGIE

PURE AIR - MOROCCAN SUNSET Product Name

#### Classified as hazardous

- Class 3, Flammable Liquids, if both the Division 2.1 and Class 3 dangerous goods are in tanks or other receptacles with a capacity individually exceeding 500T.

- Division 4.1, Flammable Solids

- Division 4.2, Spontaneously Combustible Substances

- Division 4.3, Dangerous When Wet Substances

- Division 5.1, Oxidising Agents - Division 5.2, Organic Peroxides - Class 7, Radioactive Substances

Marine Transport (IMO/IMDG):

Classified as Dangerous Goods by the criteria of the International Maritime

Dangerous Goods Code (IMDG Code) for transport by sea.

Proper Shipping Name: AEROSOLS

UN-No: 1950 Division: 2.1 EmS: F-D,S-U

Special Provisions: 63 190 277 327 344 959

Air Transport (ICAO/IATA):

Classified as Dangerous Goods by the criteria of the International Air

Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Proper Shipping Name: Aerosols, flammable

UN-No: 1950 Division: 2.1

Packaging Instructions (cargo only): 203

Packaging Instructions (passenger & cargo): 203

Special Provisions: A145, A167, A802

IIN Number 1950

UN proper shipping

name

2.1

AEROSOLS

Transport hazard

class(es) **Hazchem Code**  2YE

EPG Number 2D1 **IERG Number** 49 **IMDG Marine** 

pollutant

No

#### 15. Regulatory information

Regulatory Information

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia

Not classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule

Not Scheduled

#### 16. Other Information

Date of preparation or last revision of SDS

SDS Reviewed: January 2014

Supersedes: September 2004, December 2008

Literature References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens,

restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants, Safe work Australia.

American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of classification and labelling of chemicals.

...End Of MSDS...



Page: 7 of 7

Infosafe No™ 6AC8G Issue Date : January 2014 ISSUED by SCAHYGIE

Product Name PURE AIR - MOROCCAN SUNSET

#### Classified as hazardous

© copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.