

|                    |                         |                  |
|--------------------|-------------------------|------------------|
| Infosafe No™ VARPJ | Issue Date : March 2016 | ISSUED by HUNTER |
|--------------------|-------------------------|------------------|

 Product Name **ALCO QUAT SAN**

Not classified as hazardous

## 1. Identification

**GHS Product Identifier** ALCO QUAT SAN

**Company Name** Hunter Industrials Pty Ltd (ABN 083 330 974)

**Address** 51-53 Lakewood Blvd  
Braeside  
Vic 3195 Australia

**Telephone/Fax Number** Tel: (03) 9586 2888  
Fax: (03) 9587 9851

**Emergency phone number** 0409 949 298

**E-mail Address** sales@huntind.com.au

**Recommended use of the chemical and restrictions on use** No Rinse Sanitiser for food processing application.

## 2. Hazard Identification

**GHS classification of the substance/mixture** Eye Damage/Irritation: Category 2A  
Flammable Liquids: Category 2  
STOT Single Exposure: Category 3 (narcotic)

**Signal Word (s)** DANGER

**Hazard Statement (s)** H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

**Precautionary statement – General** P102 Keep out of reach of children.  
P103 Read label before use.

**Pictogram (s)** Flame, Exclamation mark



**Precautionary statement – Prevention** P210 Keep away from heat/sparks/open flames/hot surfaces. – No smoking.  
P233 Keep container tightly closed.  
P243 Take precautionary measures against static discharge.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash contaminated skin thoroughly after handling  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statement – Response** P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTER or doctor/physician if you feel unwell.  
P337+P313 If eye irritation persists: Get medical advice/attention.

**Precautionary statement – Storage** P403+P233 Store in a well-ventilated place. Keep container tightly closed.

**Precautionary statement – Disposal** P405 Store locked up.  
P501 Dispose of contents/container: Recycle packaging by replacing cap and returning clean containers to recycler or designated collection point.

## 3. Composition/information on ingredients

| Ingredients | <u>Name</u> | <u>CAS</u> | <u>Proportion</u> |
|-------------|-------------|------------|-------------------|
|-------------|-------------|------------|-------------------|

|                    |                         |                  |
|--------------------|-------------------------|------------------|
| Infosafe No™ VARPJ | Issue Date : March 2016 | ISSUED by HUNTER |
|--------------------|-------------------------|------------------|

Product Name **ALCO QUAT SAN**

Not classified as hazardous

| Ingredients | Name                              | CAS        | Proportion |
|-------------|-----------------------------------|------------|------------|
|             | Dialkyl Dimethylammonium Chloride | 68424-95-3 | 1-5 %      |
|             | Ethanol                           | 64-17-5    | 65% w/w    |
|             | Water                             | 7732-18-5  | to 100%    |

#### 4. First-aid measures

|                             |   |
|-----------------------------|---|
| <b>Inhalation</b>           | If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.   |
| <b>Ingestion</b>            | Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.   |
| <b>Skin</b>                 | Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. If symptoms develop seek medical attention. |
| <b>Eye contact</b>          | If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for at least 15 minutes. Seek medical attention.         |
| <b>First Aid Facilities</b> | Eye wash and normal washroom facilities.  |
| <b>Advice to Doctor</b>     | Treat symptomatically.  |

#### 5. Fire-fighting measures

|   |   |
|---|---|
| <b>Suitable extinguishing media</b>               | Use carbon dioxide, dry chemical, and foam.   |
| <b>Hazards from Combustion Products</b>           | Under fire conditions this product may emit toxic and/or irritating fumes including carbon monoxide and carbon dioxide.   |
| <b>Specific hazards arising from the chemical</b> | This product is highly flammable. Keep storage tanks, pipelines, fire-exposed surfaces etc cool with water spray. Shut off any leak if safe to do so and remove sources of re-ignition. Vapour/air mixtures may ignite explosively. Flashback along the vapour trail may occur. Runoff to sewer may create fire or explosion hazard. Vapours from this product may travel or be moved by air currents and be ignited by pilot lights, other flames, smoking, sparks, heaters, electrical equipment, static discharge or other ignition sources at locations distant from the point of handling. |
| <b>Hazchem Code</b>                               | •2YE  |
| <b>Precautions in connection with Fire</b>        | Fire-fighters should wear full protective clothing and self contained breathing apparatus (SCBA) operated in positive pressure mode. Water spray may be used to keep fire exposed containers cool.  |

#### 6. Accidental release measures

|   |  |
|---|--|
| <b>Spills &amp; Disposal</b>              | Wear appropriate personal protective equipment and clothing to avoid exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert non-combustible absorbent material onto spillage. DO NOT use sawdust. Use clean non-sparking tools to collect the material and place into suitable labelled containers. Dispose of waste according to federal, Environmental Protection Authority and state regulations. If the spillage enters the waterways contact the Environmental Protection Authority, or your local Waste Management Authority. |
| <b>Clean-up Methods - Large Spillages</b> | Notify Emergency Services (Police or Fire Brigade). Tell them exact location, nature, hazards, quantities, type of vehicle and any other information that would be helpful. Contain spill. Remove all ignition sources and safely stop flow of spill. Bund area. Trained personnel should wear Personal Protective equipment as highlighted in this MSDS. Blanket the spill with foam or use water fog to disperse vapour clouds. Consult an expert regarding disposal of this product.  |

#### 7. Handling and storage

|                                      |   |
|--------------------------------------|---|
| <b>Precautions for Safe Handling</b> | Open containers cautiously as contents may be under pressure. Use only in a well ventilated area. DO NOT store or use in confined spaces. Keep tank |
|--------------------------------------|---|

|                    |                         |                  |
|--------------------|-------------------------|------------------|
| Infosafe No™ VARPJ | Issue Date : March 2016 | ISSUED by HUNTER |
|--------------------|-------------------------|------------------|

Product Name **ALCO QUAT SAN**

Not classified as hazardous

**Conditions for safe storage, including any incompatibilities**

covered and containers sealed when not in use. Build up of mists or vapours in the atmosphere must be prevented. Avoid inhalation of vapour and mists, skin or eye contact. Do not use near welding or other ignition sources and avoid sparks. Do NOT pressurise, cut, heat or weld containers as they may contain hazardous residues. Do not smoke. Wear appropriate protection. It is essential that all who come into contact with this material maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, foodstuffs, and clothing and out of direct sunlight. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Always keep in containers made of the same material as the supply container. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids. Reference should also be made to all State and Federal regulations.

**8. Exposure controls/personal protection**

**Occupational exposure limit values**

No exposure standards have been established for this material by the Australian National Occupational Health & Safety Commission (NOHSC). However, the exposure standards for the ingredients are stated below: Australian National Occupational Health And Safety Commission (NOHSC) Exposure Standards:

| Substance | TWA  |                   | STEL |                   | Notices |
|-----------|------|-------------------|------|-------------------|---------|
|           | ppm  | mg/m <sup>3</sup> | ppm  | mg/m <sup>3</sup> |         |
| Ethanol   | 1000 | 1880              | -    | -                 | -       |

TWA - the Time-Weighted Average airborne concentration over an eight-hour working day, for a five-day working week.  
 STEL (Short Term Exposure Limit) - the average airborne concentration over a 15-minute period, which should not be exceeded at any time during a normal eight-hour workday.

**Appropriate engineering controls**

Provide sufficient ventilation to keep airborne levels below the exposure limits. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required. Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 2430.3.1:1997 : Classification of hazardous areas - Examples of area classification - General, for further information concerning ventilation requirements.

**Respiratory Protection**

When handling large quantities: If engineering controls are not effective in controlling airborne exposure then respiratory protective equipment should be used. Type of breathing protection required will vary according to individual circumstances. Expert advice may be required to make this decision. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices.  
 During normal use: Respiratory protection usually not required in situation with adequate ventilation.

**Eye Protection**

Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

**Hand Protection**

Where risk of skin contact, wear nitrile or other suitable gloves conforming to AS/NZS 2161: Occupational protective gloves.

**Body Protection**

When large quantities are handled the use of plastic aprons and rubber boots is recommended. Industrial clothing should conform to the specifications detailed in AS/NZS 2919: Industrial clothing. When handling small quantities, normal work clothing provides sufficient protection.

**9. Physical and chemical properties**

|                    |                         |                  |
|--------------------|-------------------------|------------------|
| Infosafe No™ VARPJ | Issue Date : March 2016 | ISSUED by HUNTER |
|--------------------|-------------------------|------------------|

Product Name **ALCO QUAT SAN**

Not classified as hazardous

|                                  |                                    |
|----------------------------------|------------------------------------|
| <b>Form</b>                      | Liquid                             |
| <b>Appearance</b>                | Clear, water white liquid          |
| <b>Odour</b>                     | Characteristic alcohol odour.      |
| <b>Melting Point</b>             | N Av                               |
| <b>Boiling Point</b>             | 78°C                               |
| <b>Solubility in Water</b>       | Completely Soluble                 |
| <b>Specific Gravity</b>          | 0.8                                |
| <b>pH</b>                        | Not available                      |
| <b>Vapour Pressure</b>           | 44 mmHg at 20°C (ethanol)          |
| <b>Vapour Density (Air=1)</b>    | 1.59 (Air=1)(ethanol)              |
| <b>Evaporation Rate</b>          | 2.53 (n-Butyl acetate=1) (ethanol) |
| <b>Volatile Component</b>        | 100%                               |
| <b>Flash Point</b>               | 22°C                               |
| <b>Flammability</b>              | Highly flammable                   |
| <b>Auto-Ignition Temperature</b> | 392°C (ethanol)                    |
| <b>Flammable Limits - Lower</b>  | 3.5% (ethanol)                     |
| <b>Flammable Limits - Upper</b>  | 19.0% (ethanol)                    |

## 10. Stability and reactivity

|   |  |
|---|--|
| <b>Chemical Stability</b>               | Stable under normal use conditons.   |
| <b>Conditions to Avoid</b>              | Heat, flames, ignition sources and incompatibles.  |
| <b>Incompatible Materials</b>           | Chlorates, perchlorates, chromates, dichromates, nitrates and other oxidizing agents.  |
| <b>Hazardous Decomposition Products</b> | Thermal decomposition may result in the release of toxic and/or irritating fumes including carbon monoxide and carbon dioxide. |
| <b>Hazardous Polymerization</b>         | Will not occur.  |

## 11. Toxicological Information

|                                    |   |
|------------------------------------|---|
| <b>Toxicology Information</b>      | No adverse health effects are expected, if the product is handled in accordance with this Material Safety Data Sheet and the product label. Symptoms and effects that may arise if the product is mishandled and overexposure occurs are:   |
| <b>Acute Toxicity - Oral</b>       | LD50 Rthanol (Oral, Rat): 7060 mg/kg  |
| <b>Acute Toxicity - Inhalation</b> | LC50 Ethanol (Inhalation, Rat): 38 mg/L/10h   |
| <b>Ingestion</b>                   | Swallowing can cause drunkenness or harmful central nervous system effects. Effects of a small intake may include excitation, euphoria, headache, dizziness, drowsiness, blurred vision and fatigue. Severe acute intoxication may cause hypoglycaemia, hypothermia and extensor rigidity. Other effects may include decreased blood pressure, vomiting blood and blood changes. Aspiration into the lungs may cause pneumonitis. |
| <b>Inhalation</b>                  | Cause irritation to the respiratory tract and mucous membranes. Inhalation of the vapour may result in headache, nausea, incoordination, narcosis and vomiting. High concentrations may cause central nervous system symptoms   |

|                    |                         |                  |
|--------------------|-------------------------|------------------|
| Infosafe No™ VARPJ | Issue Date : March 2016 | ISSUED by HUNTER |
|--------------------|-------------------------|------------------|

Product Name **ALCO QUAT SAN**

Not classified as hazardous

---

|                        |   |
|------------------------|---|
| <b>Skin</b>            | similar to those given under ingestion below.<br>Can cause redness, itching and irritation.   |
| <b>Eye</b>             | Can be irritating to eyes. On eye contact this product can cause tearing, stinging, blurred vision, and redness.  |
| <b>Chronic Effects</b> | Prolonged or repeated skin contact may cause defatting leading to dermatitis. Long term exposure by swallowing or repeated inhalation may cause degenerative changes in the liver, kidney, gastrointestinal tract and heart muscle. |

---

## 12. Ecological information

---

|                                      |   |
|--------------------------------------|---|
| <b>Ecotoxicity</b>                   | Not severe  |
| <b>Persistence and degradability</b> | Readily Biodegradable.  |
| <b>Mobility</b>                      | Readily dilutes with water  |
| <b>Environmental Fate</b>            | This substance may cause long term adverse effects in the environment |
| <b>Environmental Protection</b>      | Do not allow product to enter drains, waterways or sewers.            |
| <b>Acute Toxicity - Fish</b>         | Golden ide LC0(48h): >1000 mg/L                                       |
| <b>Acute Toxicity - Daphnia</b>      | Daphnia magna EC50(24h): >1000mg/L                                    |

---

## 13. Disposal considerations

---

|                                |  |
|--------------------------------|--|
| <b>Disposal Considerations</b> | Refer to appropriate authority in your State. Dispose of material through a licensed waste contractor. Advise flammable nature. Normally suitable for disposal by approved waste disposal agent. |
|--------------------------------|--|

---

## 14. Transport information

---

|                                   |  |
|-----------------------------------|--|
| <b>Transport Information</b>      | This material is a Class 3 - Flammable Liquid according to The Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition) Class 3 - Flammable Liquids are incompatible in a placard load with any of the following:<br>- Class 1, Explosives<br>- Division 2.1, Flammable Gases, (Division 2.1 and Class 3 are incompatible in transport if both are in tanks or other receptacles with a capacity individually exceeding 500 L.)<br>- Division 2.3, Toxic Gases<br>- Division 4.2 Spontaneously Combustible Substances<br>- Division 5.1 Oxidising Agents and Division 5.2, Organic Peroxides<br>- Class 6 Toxic or Infectious Substances (where the flammable liquid is nitromethane)<br>- Class 7 Radioactive Substances. |
| <b>U.N. Number</b>                | 1170   |
| <b>UN proper shipping name</b>    | ETHANOL (ETHYL ALCOHOL)  |
| <b>Transport hazard class(es)</b> | 3  |
| <b>Hazchem Code</b>               | •2YE   |
| <b>Packing Group</b>              | II   |
| <b>EPG Number</b>                 | 3A1  |
| <b>IERG Number</b>                | 14   |

---

## 15. Regulatory information

---

|                         |                  |
|-------------------------|------------------|
| <b>Poisons Schedule</b> | Not Scheduled    |
| <b>Hazard Category</b>  | Highly Flammable |

---

|                    |                         |                  |
|--------------------|-------------------------|------------------|
| Infosafe No™ VARPJ | Issue Date : March 2016 | ISSUED by HUNTER |
|--------------------|-------------------------|------------------|

Product Name **ALCO QUAT SAN**

Not classified as hazardous

---

**AICS (Australia)** All components listed.

---

**16. Other Information****Signature of Preparer/Data Service** Technical Manager 03 9580 2499**Technical Contact Numbers** Emergency Advice All Hours:  
Tel: 0409 949 298 Mon-Fri 8am - 6pm  
Poisons Information Centre: 13 11 26 - 24hrs**Other Information** This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the Workplace. Please refer to the technical datasheet (Instructions for use), and the label on the drum. The company cannot anticipate or control the individual working conditions encountered and so each user should read this SDS carefully, and if in doubt ring the Contact Point Number given below.  
...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.